



Public Health

Idaho North Central District

Nez Perce County

215 10th Street
Lewiston, ID 83501
(208) 799-3100
Fax (208) 799-0349

Latah County

333 E Palouse River Drive
Moscow, ID 83843
(208) 882-7506
Fax (208) 882-3494

Clearwater County

105 115th Street
Orofino, ID 83544
(208) 476-7850
Fax (208) 476-7494

Idaho County

903 West Main
Grangeville, ID 83530
(208) 983-2842
Fax (208) 983-2845

Lewis County

132 N Hill Street
P O Box 277
Kamiah, ID 83536
(208) 935-2124
Fax (208) 935-0223

Public Health *Alert...*

September 13, 2013

CONFIRMED PERTUSSIS IN PUBLIC HEALTH – IDAHO NORTH CENTRAL DISTRICT

Public Health – Idaho North Central District has received laboratory confirmation of pertussis (whooping cough) in a child in Latah County and is currently coordinating efforts to identify individuals most at risk of an exposure.

Pertussis is a communicable disease that is spread through the air from an infected person during coughing, sneezing or talking. Pertussis begins with cold-like symptoms and a cough that becomes progressively worse over 1-2 weeks. Coughing usually happens in long bouts, sometimes followed by a whooping noise. Antibiotics can make the disease milder in those infected and will prevent transmission of the illness to others. Individuals exposed to pertussis should also be given antibiotics to prevent the disease, even if they were vaccinated.

Respiratory etiquette:

- covering your mouth and nose when coughing or sneezing,
- disposing of used tissues,
- and good hand washing are key prevention measures in reducing the spread of any respiratory illness.

Children should get 5 doses of pertussis containing vaccine Diphtheria, Tetanus, and Pertussis (DTap), one dose at each of the following ages: 2 months, 4 months, 6 months, 15-18 months, and 4-6 years of age. Adolescents and adults need protection from pertussis too. Tetanus, Diphtheria, and Pertussis (Tdap) was licensed in 2005 and is recommended as a one-time dose for adolescents ages 11-12 and adults under the age of 65. New mothers who have never received Tdap should get a dose as soon as possible after delivery.

**For additional information, please contact your health care provider or
Anna Olson RN, BSN, Staff Epidemiologist at Public Health - Idaho North
Central District,
(208) 799-3100.**